

# Default Permissions for User Role

The list below includes the set of default permissions for the User role.

## Activity Logs

- *See details of own activity log* - the user can only see the details of their own activity log

## Backups

- *Convert own backup to template* - the user can only convert their own backups to templates
- *Create backup for own VS* - the user can only create backups of their own virtual servers
- *Destroy own backup* - the user can only delete their own backups
- *See own backups* - the user can only see their own backups
- *Update own backup* - the user can only edit their own backups

## Base Resources

- *See own base resources* - the user can only see own base resources

## Billing Plans

- *See own billing plan* - the user can only see own billing plan

## CDN Resources

- *Create a new CDN resource* - the user can create a new CDN resource
- *Destroy own CDN resources* - the user can only delete their own CDN resources
- *See own CDN resources* - the user can only see their own CDN resources
- *Update own CDN resources* - the user can only edit their own CDN resources

## CDN SSL Certificates

- *Create a new CDN SSL Certificate* - the user can create new CDN SSL certificates
- *Destroy own CDN SSL Certificate* - the user can only delete their own CDN SSL certificates
- *See own CDN SSL Certificates* - the user can only see their own CDN SSL certificates
- *Update own CDN SSL Certificates* - the user can only edit their own CDN SSL certificates

## CDN Usage Statistics

- *User can see own CDN usage statistics* - the user can only see own CDN usage statistics

## Container Servers

- *Build/rebuild user's own container server* - the user can build/rebuild his own container server
- *Console to own container server* - the user can only access their own container server via console
- *Create a new container server* - the user can create a new container server
- *Destroy own container servers* - the user can destroy own container servers
- *Edit own container server's cloud config* - the user can only edit their own container server's cloud config
- *Migrate own container servers* - the user can migrate own container servers
- *Any power action on own container servers* - the user can take any power-related action on own container servers
- *See own container servers* - the user can see own container servers
- *Read own container server's root password* - the user can read own container server's root password
- *Rebuild network of own container server* - the user can only rebuild network of own container server
- *Manage recipes joins for own container servers* - the user can manage recipes joins for own container servers
- *Reset root password to own container server* - the user can only reset the root password for their own container servers
- *Update own container servers* - the user can update own container servers

## Customer Networks

- *Create own customer network* – the user can create own customer networks
- *Destroy own customer network* – the user can delete own customer networks
- *See own customer networks* – the user can view own customer networks

## Dashboard

- *Show cloud dashboard* - the user can see the cloud details on the dashboard

## Data Stores

- *See all data\_stores* - the user can see all data stores

## Disks

- *Auto-backup for own disk* - the user can only schedule automatic backups on their own disks
- *Create a new disk* - the user can create a new disk
- *Destroy own disk* - the user can only delete their own disks
- *See own disks* - the user can only see their own disks
- *Unlock any disk* - the user can unlock any disk
- *Update own disk* - the user can only edit their own disks

#### DNS Zones

- *Create a new DNS zone* - the user can create a new DNS zone
- *Destroy own DNS zone* - the user can only delete their own DNS zones
- *See own DNS zones* - the user can only see their own DNS zones
- *Create a new DNS record* - the user can create a new DNS record
- *See own DNS records* - the user can see all DNS records
- *Update own DNS records* - the user can update own DNS records

#### Edge Groups

- *See all edge groups* - the user can see all edge groups

#### Firewall Rules

- *Create own Firewall Rules* - the user can only create own firewall rules
- *Destroy own Firewall Rules* - the user can only delete own firewall rules
- *Read own Firewall Rules* - the user can only read own firewall rules
- *Update own Firewall Rules* - the user can only edit own firewall rules

#### Groups

- *See all groups* - the user can see all groups

#### Compute resources

- *See all compute resources* - the user can see all compute resources
- *Show compute resources on Virtual Server creation* - display compute resources on **Add New Virtual Server** screen

#### Template Groups

- *See details of any template group* (image\_template\_groups.read) - the user can view template group details

#### IO Statistics

- *See own IO Statistics* - the user can see own IO Statistics

#### Virtual Server's IP Addresses

- *Add IP address to own virtual server* - the user can only add IP addresses to their own virtual servers
- *Remove IP address from own virtual server* - the user can only remove IP addresses from their own virtual servers
- *See IP addresses assigned to any virtual servers* - the user can only see IP addresses assigned to their own virtual servers

#### IP Addresses

- *See all IP addresses* - the user can see all IP addresses

#### Mounting ISO

- *Mount own ISO* - the user can only mount own ISO
- *Unmount own mounted ISOs* - the user can only unmount own mounted ISOs
- *See own mounted ISOs* - the user can only see own mounted ISOs

#### ISOs

- *Read all public ISOs* - the user can view public ISOs

#### Load Balancers

- *Migrate own load balancer* - the user can only migrate their own load balancer

#### Load Balancing Clusters

- *Create new load balancing cluster* - the user can create a new load balancing cluster
- *Delete own load balancing cluster* - the user can only delete own load balancing clusters
- *See details of own load balancing cluster* - the user can only see details of own load balancing cluster
- *Change own load balancing cluster* - the user can only change own load balancing cluster

#### Log Items

- *Delete own log item* - the user can only delete their own log items
- *See list of own log items* - the user can only see their own log items
- *See details of own log item* - the user can only see details of their own log items

## Monthly Billing Statistics

- *See only own Monthly Bills Statistics* - the user can only see own monthly bills statistics

## Nameservers

- *See all nameservers* - the user can see all nameservers

## Networks

- *See all networks* - the user can see all networks

## Payments

- *See own user payments* - the user can only see their own user payments
- *See own company payments* - the user can only see their own company payments ( applicable for vCloud users)

## Recipes

- *Create Recipes* - the user can add new recipes
- *Delete own Recipes* - the user can delete own recipes
- *Edit own Recipes* - the user can edit own recipes
- *Read own Recipes* - the user can view own recipes

## Recipe groups

- *See list of recipe groups* - the user can view the list of recipe groups
- *Read recipe groups* - the user can view recipe group details

## Recipe group relations

- *See list of recipe group relations* - the user can view the list of recipe group relations
- *Read recipe group relations* - the user can view recipe group relation details

## Roles

- *See user's own roles* - the user can see only roles assigned to him.

## Templates

- *Manage own templates* - the user can create and manage their own templates
- *See all public templates* - the user can see all public templates

## Transactions

- *Delete own transactions from logs* - the user can only delete their own transactions from a log
- *See list of own transactions* - the user can only see their own transactions
- *See details of own transactions* - the user can only see details of their own transactions

## Users

- *Change own password* - the user can only change own password
- *See own users* – the user can only see their own user account
- *See user backups/templates prices* – the user can see users' backups/templates prices
- *See user billing plan* – the user can see users' billing plans
- *See user hourly prices* – the user can see users' hourly prices
- *See user monthly prices* – the user can see users' monthly prices
- *See user outstanding amount* – the user can see users' outstanding amount
- *See user summary payments* – the user can see user's summary payments
- *See user virtual server prices* – the user can see users' virtual server prices
- *Update own user* – the user can only edit their own user account
- *Generate own API key* - the user can only generate own key
- *Update own Yubikey* - the user can modify their own Yubikey

## Virtual server snapshots

- *Create or restore own virtual server snapshot* - the user can create/restore own snapshots
- *Destroy own virtual server snapshot* - the user can delete own snapshots
- *See own virtual server snapshots* - the user can see the list of own snapshots

## Virtual Servers

- *Build/rebuild user's own virtual server* - the user can build/rebuild their own virtual server's only
- *Console to own virtual server* – the user can only access their own virtual server via console
- *Create a new virtual server* – the user can create a new virtual server
- *Destroy own virtual server* – the user can only delete their own virtual servers
- *Manage publications for all virtual servers* - the user can manage publications for all virtual servers
- *Migrate own virtual server* – the user can only migrate their own virtual servers
- *Any power action on own virtual servers* – the user can only take power-related actions on their own virtual servers

- *See own virtual servers* – the user can only see their own virtual servers
- *Read Virtual Server's root password* - the user can read Virtual Server's root password
- *Rebuild network of own virtual server* – the user can only rebuild network of own virtual server
- *Manage recipes joins for own virtual servers* - the user can manage recipe joins for own virtual servers
- *Reset root password of own virtual server* – the user can only reset the root password of their own virtual servers
- *Update own virtual server* – the user can only edit their own virtual servers
- *See own virtual machine statistics* - the user can only see statistics for their virtual machines